

RENAULT


Scenic E-Tech 100% Electric



(2024 -)







	Airbag	Å	Stored gas inflator		Seat belt pretensioner		SRS control unit	
0000000	Battery low voltage		Gas strut / Preloaded spring		High strength zone		Zone requiring special attention	
0 0	Battery pack, high- voltage	N	High voltage power cable	9	High voltage device that disconnects high voltage	4	High voltage component	



Internal reference	Date	Version	Page
RS-HCB-2024	14/06/2024	2	1 / 4

1. Identification / recognition




2. Immobilisation / stabilisation / lifting

Engine shutdown





Forbidden wedge area




3. Disable direct hazards / safety regulations

12 Volts Battery





- 1- Engine shutdown
- 2 Disconnect the negative terminal (-)



400 Volts battery

Only if cutting operation is necessary:

Disconnection of the 400 Volts battery by removing the service plug.






























4. Access to the occupants





5. Stored energy / liquids / gases / solids



Lithium-ion

60 / 87 kW.h

400V

6. In case of fire

Extinguishing a traction battery fire propagation




IR SS
















If traction battery on fire : → Water extinguishing by filling

GAS STRUTS





Risk of missile effect of gas struts



7. In case of submersion





No electrical hazard

After taking the vehicle out of the water: Disconnection of the 400 Volts battery by removing the service plug.

8. Towing / transportation / storage



10. Explanation of pictograms used Electric Vehicle Bonnet Boot IR SS Use thermal Infrared camera Special battery access Electrical protection Face shield Breathing apparatus (BA) Use water to extinguish the fire Don't break, nor open gloves